Classification Report



BASEC Client Caleb Cable Industrial Limited

Report No. LCPR1311-2 Classification Issue 4

Number of pages in this Report: 6

Issue Date 15 May 2017

Items Tested 2 samples of communication cable

Specification(s) BS EN 13501-6:2014

Authorised by: I McGuinness

SS

Laboratory Manager

Issue Date: 15 May 2017

This Classification Report does not represent type approval or certification of the product. This Classification Report shall not be reproduced except in full, without written approval of

the laboratory.

British Approvals Service for Cables

Presley House

Presley Way

Crownhill

Milton Keynes

MK8 0ES UK

T: 01908 267300

F: 01908 267255

E: mail@basec.org.uk W: www.basec.org.uk

lac-MRA





5950

Notified Body No. 2661

Introduction

This classification report defines the classification assigned to the product, electric cable, in accordance with the procedures given in BS EN 13501-6:2014



CLASSIFICATION OF REACTION TO FIRE FOR ELECTRIC CABLES IN ACCORDANCE WITH BS EN 13501-6:2014

Sponsor: Caleb Cable Industrial Limited
Prepared for: Caleb Cable Industrial Limited

Place of Manufacture: 107 Luyuan Road, Ke Yuan Cheng, Tangxia, Dongguan, China

Prepared by: British Approvals Service for Cables, Presley House, Presley Way, Crownhill

Milton Keynes, MK8 0ES, United Kingdom

Notified Body No. 2661
Product Name: F-UTP

Classification Report No. LCPR1311-2 Classification Issue 4

Issue number: 4

Date of issue: 15 May 2017

This classification report consists of 6 pages and may only be used or reproduced in its entirety.

BASEC Reference: LF189.002 | Report Issue Date: 15/05/2017 | Page 2 of 6

Details of classified product

General

This classification report defines the classification for the electric cable in accordance with the procedures given in BS EN 13501-6:2014.

Product description

The communication cables are as described in Sample details below.

Traceability

The test samples submitted by the manufacturer and received on 22 August 2016 and 5 April 2017.

Sample details

Parameter	Details
Test sponsor	Caleb Cable Industrial Limited
Manufacturer of sample	Caleb Cable Industrial Limited
Place of manufacture	107 Luyuan Road, Ke Yuan Cheng, Tangxia, Dongguan, China
Cables submitted for test	
F-UTP Cat 5e/Cat 6 LSZH 24 AWG	4 pairs of HDPE insulated conductors, over binder tape, drain wire, shield, LSZH jacket: OD = 5.9mm
F-UTP Cat 6 LSZH 23AWG	4 pairs of HDPE insulated conductors, over binder tape, drain wire, shield, LSZH jacket: 7.1mm OD

Reports & results in support of this classification

Reports

Name of Laboratory	Name of test sponsor	Test reports Nos.	Test method/field of application rules
BASEC	Caleb Cable Industrial Limited	KCPR1023	BS EN 60332-1-2:2004 + A1:2015
BASEC	Caleb Cable Industrial Limited	LCPR1311	BS EN 60332-1-2:2004 + A11:2016

Results

		No.	Results		
Cable	Parameter	tests runs	Continuous parameter - mean m	Compliance with parameters Criterion for Class Eca	
F-UTP Cat 5e/Cat 6 LSZH 24 AWG	Н	1	99mm	≤ 425mm = Compliant	
F-UTP Cat 6 LSZH 23AWG	Н	1	87mm	≤ 425mm = Compliant	

BASEC Reference: LF189.002	Panart Issua Data: 15/05/2017	Page 4 of 6		
issue date 12/07/2016	Report Issue Date: 15/05/2017	Page 4 of 6		

Classification and field of application

Reference of classification

This classification has been carried out in accordance with BS EN 13501-6:2014

Classification

The communication cables in relation to reaction to fire behaviour are classified:

 E_{ca}

The format of the reaction to fire classification for electric cables is:

Fire Behaviour		Smoke Pi	oduction		Flaming	Droplets		Aci	dity
E _{ca}	-	-	-	,	-	-	,	-	-

Reaction to fire classification: Eca

The classification assigned to the products in this report is appropriate to a declaration of conformity by the manufacturer within the context of system 3 attestation of conformity and CE marking under the Construction Products Regulation.

The test laboratory has, therefore, played no part in sampling the product for the test, although it holds appropriate references, supplied by the manufacturer, to provide for traceability of samples tested.

BASEC Reference: LF189.002 issue date 12/07/2016 Report Issue Date: 15/05/2017 Page 5 of 6

Field of application

This classification is valid for the electric cables described in 'Sample details' and listed below

Cable Identification	Reaction to Fire Classification		
F-UTP Cat 5e/Cat 6 LSZH 24 AWG	E _{ca}		
F-UTP Cat 6 LSZH 23AWG	E _{ca}		

This classification is valid for all end-use applications

Limitations

This classification will be valid whilst;

- The test methods remain unchanged,
- The product standard or technical approval remains unchanged,
- Constructional or material modifications do not exceed limits of the field of application.

The manufacturer has made a declaration, which is held on file, which the product placed in the marketplace, named in product description section of this report and produced at the manufacturing plant listed therein, is exactly the same as the product that was tested.

This classification document does not represent type approval or certification of the product.

-- END OF REPORT ---

BASEC Reference: LF189.002	Papart Issue Date: 15/05/2017	Page 6 of 6			
issue date 12/07/2016	Report Issue Date: 15/05/2017	Page 6 01 6			